

QL  
354  
S5  
sect, 1  
ENT

# INDEX ANIMALIUM

SIVE

INDEX NOMINUM QUAE AB A.D. MDCCCLVIII  
GENERIBUS ET SPECIEBUS ANIMALIUM  
IMPOSITA SUNT

*SOCIETATIBUS ERUDITORUM ADIUVANTIBUS*

A

*Charles*

CAROLO DAVIES SHERBORN

CONFECTUS

*SECTIO PRIMA*

*A KALENDIS Ianuariis, MDCCCLVIII  
USQUE AD FINEM DECEMBRIS, MDCCC*

CANTABRIGIAE

E TYPOGRAPHIO ACADEMICO

M DCCCC II

- bicoloria** Phalaena B. (D. & S.), E. J. C. Esper, Die Schmett. III (22) 1785, 217.—  
**bicoloria** Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 288. [Bombyx.  
**bicolora** Donacia, J. J. Zschach, Mus. Lesk. 1788, 27.  
**bicolorus** Ichneumon, Linnaeus, Syst. Nat., ed. 12, 1767, 938.  
**bicolora** Noctua, J. C. Fabricius, Mant. II. 1787, 140.  
**bicolora** Phalaena Noct., J. H. Sulzer, Gesch. Ins. 1776, 161.  
**bicordata** Cicada, Scopoli, Ent. Carn. 1763, 114.  
**bicordatus** Echinus (Leske), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 3199.—  
**bicordata** Mactra, J. F. Bolten, Mus. Bolten. (2) 1798, 171 [*n. n.*]. [Spatangites.  
**bicordatus** Spatangites, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 244.  
**bicordatus** Spatangus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, xx [repaged issue].  
**bicornis** Actinia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3135.  
**bicornis** Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 575; ed. 12, 1767, 954.  
**bicornis** Apis, M. Harris, Exp. Eng. Ins. 1776, 162.  
**bicornis** Aranea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2959.  
**bicornis** Aranea, J. C. Fabricius, Ent. Syst. II. 1793, 410.  
**bicornis** Bostrichus, C. P. Thunberg, D. D. Mus. Ac. Upsal. App. VI. 1798, 114.  
**bicornis** Buceros, Linnaeus, Syst. Nat., ed. 10, 1758, 104; ed. 12, 1766, 153.  
**bicornis** Buceros, R. Kerr, Anim. Kingd. 1792, 620, *var.* erythrorhynchos.  
**bicornis** Cassida, Linnaeus, Amoen. Acad. VI. 1763, 393.  
**bicornis** Chama, Linnaeus, Syst. Nat., ed. 10, 1758, 692; ed. 12, 1767, 1139.  
**bicornis** Chama, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 393.  
**bicornis** Cottus, G. S. Volta, Itt. Veron. (2) [circa 1800], clxiv.  
**bicornis** Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 180.  
**bicornis** Cynips, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 87.  
**bicornis** Diaperis (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 273.—Hispa.  
**bicornis** Geotrupes (Leske), J. C. Fabricius, Suppl. Ent. Syst. 1798, 13.—Scarabaeus.  
**bicornis** Gryllus (Mantis), Linnaeus, Syst. Nat., ed. 10, 1758, 426.—[Mantis, ed. 12.]  
**bicornis** Hispa, J. C. Fabricius, Gen. Ins. 1777, 215.  
**bicornis** Hypophlaeus, J. C. Fabricius, Ent. Syst. I (2) 1792, 502.  
**bicornis** Mantis, Linnaeus, Syst. Nat., ed. 12, 1767, 691.—[Gryllus, ed. 10.]  
**bicornis** Planaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3089.  
**bicornis** Rhinoceros, Linnaeus, Syst. Nat., ed. 10, 1758, 56; ed. 12, 1766, 104.  
**bicornis** Rhinoceros, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 57.—*var.* unicornis.  
**bicornis** Saperda, A. G. Olivier, Entom. IV. 1795, 27.  
**bicornis** Scarabaeus, N. G. Leske, Anfangs. Naturg. I. 1779, 418.  
**bicornis** Scarabaeus, Herbst in Jablonsky, Nat. Ins. (Käfer) II. 1789, 235.  
**bicornis** Serpula, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 633.  
**bicornis** Staphylinus, L. H. v. Bloch in Becker, Plau. Grund. 1799, 118.  
**bicornis** Terebella, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 3114.  
**bicornuta** Aranea *id. ac* bicornis (Gm.), S. I. Ljungh, K. Vet. Ac. Nya Handl. XX. 1799,  
**bicostatum** Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 248. [148.  
**bicostatus** Crambus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 473.—Tinea bicostella.  
**bicostella** [Phalaena], C. Clerck, Icones, I. 1759, pl. iii. 15.  
**bicostella** Phalaena (Tinea), Linnaeus, Faun. Suec., ed. 2, 1761, 368.  
**bicostella** Tinea (Clerck), J. C. Fabricius, Syst. Ent. 1775, 661.—Phalaena.  
**biruciata** Clytra, K. Illiger, Archiv Zool. (Wiedemann) I (2) 1800, 127.  
**bicruris** Phalaena, Hufnagel, Berl. Mag. III. 1767, 302.  
**bicuspis** Phalaena Bombyx, M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 380.  
**bidactyla** Phalaena, S. v. Hochenwarth, Schrift. Berlin. Ges. Nat. Freunde, VI. 1785, 336.  
**bidellana** Phalaena Tort., C. de Villers, Linn. Ent. II. 1789, 418.  
**bidella** Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 320.  
**bidella** Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 324.  
**bidens** Apate, J. C. Fabricius, Suppl. Ent. Syst. 1798, 157.  
**bidens** Bostrichus, J. C. Fabricius, Ent. Syst. I (2) 1792, 368.  
**bidens** Bulimus (Müll.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 352.—Helix.  
**bidens** Cassida, J. C. Fabricius, Spec. Ins. I. 1781, 112.  
**bidens** Cerambyx (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1829.—Stenocorus.

- Rhagium** J. C. Fabricius, Syst. Ent. 1775, 182.—Col.
- rhamnata** Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 109.
- rhamnata** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 271 [*n.*].
- rhamni** Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 78. [et f.]
- rhamni** Papilio (Danaus), Linnaeus, Syst. Nat., ed. 10, 1758, 470; ed. 12, 1767, 765.
- rhamnus** Spondylus, F. C. Meuschen, Mus. Gever. 1787, 436.
- rhanis** [Phalaena], P. Cramer, Uitl. Kapellen, II (10) 1777, 34.
- rhanisaria** [Phalaena], C. Stoll, Aanhang. Cramer's Uitl. Kapellen, V. 1790, 152.
- Rhea** Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 4 & 43.—A.
- Rhea** M. J. Brisson, Ornith. V. 1760, 8.—A.
- Rhea** J. Latham, Index Orn. 1790, 665.—A.
- Rhea** B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 20.—A.
- rhea** Papilio (Danaus), N. Poda, Ins. Mus. Graec. 1761, 66.
- rhea** [Papilio], P. Cramer, Uitl. Kapellen, I (5) 1775, 85.
- rhea** Papilio, J. C. Fabricius, Syst. Ent. 1775, 467.
- rhea** Papilio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 425.
- rhea** Struthio, Linnaeus, Syst. Nat., ed. 12, 1766, 266.
- rhebus** [Sphinx], P. Cramer, Uitl. Kapellen, III (20) 1779, 72.
- Rheda** [G. Humphreys], Mus. Calonn. 1797, 41.—G.
- rhedi** v. redi[i].
- rhexiella** v. rediella.
- rhei** Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 78.
- rhenana** Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3622.
- rhenana** Tortrix, C. P. Thunberg, Ins. Suecica (2) 1791, 43.
- rhesus** Simia, J. B. Audebert, Hist. Nat. Singes, 1799, sig. I.
- rhetenor** [Papilio], P. Cramer, Uitl. Kapellen, I (2) 1775, 22.
- rhetus** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 334.
- rhetus** [Papilio], P. Cramer, Uitl. Kapellen, I (6) 1775, 98.
- rhetus** Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 133.
- rhexia** Papilio, J. C. Fabricius, Syst. Ent. 1775, 476.
- rhexiae** Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 199.
- Rhina** (*ex* Klein), J. J. Walbaum, Artedi, Ichth. (3) ed. 2, 1792, 580.—P.
- rhinantoides** Ostrea, J. F. Bolten, Mus. Bolten. (2) 1798, 169.
- rhinaris** Taenia, F. A. A. Meyer, Nat. Hausthier. 1792, 261.
- Rhinchops** *id. ac* Rhynchops, Cuvier, Tabl. élém. 1798, 270.—A.
- rhingaeformis** Sphinx, J. Hübner, Beitr. Schmett. II. 1790, 89.
- Rhingia** Scopoli, Ent. Carn. 1763, 358.—Dip.
- rhingiaeformis** Sphinx, J. Hübner, Europ. Schmett. 2 Horde [me judice 1796], 22.
- Rhinobatos** H. F. Linck, Mag. Neuste Phys. u. Nat. VI (3) 1790, 32.—P.
- Rhinobatus** (*ex* Klein), J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 581.—P.
- rhinobatos** Raja, Linnaeus, Syst. Nat., ed. 10, 1758, 232; ed. 12, 1766, 397.
- Rhinoceros** Linnaeus, Syst. Nat., ed. 10, 1758, 56; ed. 12, 1766, 104.—M.
- Rhinoceros** F. C. Meuschen, Mus. Gever. 1787, 262.—G.
- rhinoceros** Buceros, Linnaeus, Syst. Nat., ed. 10, 1758, 104; ed. 12, 1766, 153.
- rhinoceros** Cymatium, J. F. Bolten, Mus. Bolten. (2) 1798, 129.
- rhinoceros** Geotrupes (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 17.—Scarabaeus.
- rhinoceros** Lucanus, A. G. Olivier, Entom. I. 1789, 21.
- rhinoceros** Notoxus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 66.
- rhinoceros** Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 346; ed. 12, 1767, 544.
- rhinoceros** Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3458.
- rhinocerotis** Acarus, C. de Geer, Mém. Ins. VII. 1778, 160.
- Rhinocyllus.** [Said to occur in Gerbi, Stor. Nat. Insetti, ed. 2, 1795, by Carus and Engelmann, Bibl. Zool. 1861, p. 782, but this is an error: the word is used by Germar, 1817.]—Col.
- “**Rhinolophus**, Cuv. 1797,” Ag.; does not occur.
- Rhinolophus** B. G. E. de Lacépède, Tabl. Mamm. 1799, 15.—M.
- Rhinolophus** G. Cuvier, Leçons Comp. Anat. I. 1800, tab. I [*n. n.*].—M.
- Rhinomacer** E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 269.—Col.
- Rhinomacer** J. C. Fabricius, Spec. Ins. I. 1781, 199.—Col.

- unicolor** Saperda, J. C. Fabricius, Mant. I. 1787, 147.
- unicolor** Scarabaeus, D. Drury, Ill. Nat. Hist. III. 1782, index & 61.
- unicolor** Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 183.
- unicolor** Silpha, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 209.
- unicolor** Sorex, R. Kerr, Anim. Kingd. 1792, 208.
- unicolor** Sphecodes, J. C. Fabricius, Mant. I. 1787, 275.
- unicolor** Sphecodes, G. W. F. Panzer, Ins. Germ. heft 52 [1797], tab. 24.
- unicolor** Staphylinus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 149.
- unicolor** Stenosis, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 163.
- unicolor** Upis, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 234.
- unicolor** Vespa, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 203.
- unicolorata** Phalaena Geometra, J. Hübner, Beitr. Schmett. I (2) [1787], 15.
- unicolorata** Phalaena Geometra, H. G. Lang, Verz. Schmett., ed. 2, 1789, 198.
- unicoloria** Phalaena Geometra, E. J. C. Esper, Die Schmett. V (4) 1795, 101.
- Unicornis** G. Edwards, in M. Catesby, Carol. II. 1771, 19.—P.
- unicornis** Apis, J. L. Christ, Nat. Ins. 1791, 160.
- unicorne** Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 254.
- unicornis** Chama, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 389.
- unicornis** Chaetodon, P. Forskal, Descr. Anim. 1775, 63.
- unicornis** Gryllus, Linnaeus, Amoen. Acad. VI. 1763, 396.
- unicornis** Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 171.
- unicornis** Rhinoceros, Linnaeus, Syst. Nat., ed. 10, 1758, 56; ed. 12, 1766, 104.
- unicornu** Copris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 33.
- unicornu** Scarabaeus, F. v. P. Schrank, Naturforscher, XXIV. 1789, 61.
- unicus** Sylvicola, M. Harris, Exp. Eng. Ins. 1776, 103.
- unidentata** Buprestis, J. C. Fabricius, Syst. Ent. 1775, 216.
- unidentatus** Cerambix, A. G. Olivier, Entom. IV. 1795, 21.
- unidentatum** Colydium (Fab.), G. Paykull, Faun. Suec. III. 1800, 314.—Dermestes.
- unidentatum** Cylonium (Ol.), J. C. Fabricius, Actes Soc. H. N. Paris, I (1) 1792, 32.—Ips.
- unidentatus** Dermestes (Ol.), J. C. Fabricius, Ent. Syst. I (1) 1792, 232.—Ips.
- unidentata** Hispa, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 96.
- unidentata** Ips, A. G. Olivier, Entom. II. 1790, 9.
- unifasciatus** Attelabus (Fab.), C. de Villers, Linn. Ent. IV. 1789, 296.—Clerus.
- unifasciata** Buprestis, Scopoli, Ent. Carn. 1763, 66.
- unifasciatum** Callidium, P. Rossi, Fauna Etrus. II. 1790, 343.
- unifasciatum** Callidium, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 269.
- unifasciata** Cetonia, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 413.
- unifasciata** Cercopis, J. C. Fabricius, Spec. Ins. II. 1781, 330.
- unifasciata** Chrysomela, C. de Geer, Mém. Ins. VII. 1778, 664.
- unifasciata** Cicada (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2102.—
- unifasciatus** Clerus, J. C. Fabricius, Mant. I. 1787, 125. [Cercopis.]
- unifasciata** Clytra, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 35.
- unifasciata** Coccinella, J. C. Fabricius, Gen. Ins. 1777, 216.
- unifasciata** Coccinella, L. G. Scriba, Beitr. Ins. II. 1791, 107.
- unifasciata** Crioceris, J. C. Fabricius, Syst. Ent. 1775, 120.
- unifasciatus** Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789,
- unifasciatus** Curculio, J. C. Fabricius, Mant. I. 1787, 101. [1721.—Crioceris.]
- unifasciatus** Erotylus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 101.
- unifasciata** Formica, P. A. Latreille, Journ. Santé Bordeaux, III. 1798, 142 [n. n.];
- unifasciata** Helix, E. M. da Costa, Brit. Conch. 1778, 75. [Essai Fourmis, 1798, 47.]
- unifasciata** Lamia, P. Rossi, Fauna Etrus. I. 1790, 147.
- unifasciata** Lema, J. C. Fabricius, Suppl. Ent. Syst. 1798, 92.—Crioceris, 1775.
- unifasciata** Libellula, C. de Geer, Mém. Ins. III. 1773, 557.
- unifasciatus** Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 178.
- unifasciatus** Notoxus, F. v. P. Schrank, F. Boica, I. 1798, 574.
- unifasciatus** Phalaena Geometra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2491.
- unifasciatus** Scarabaeus, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 240.
- unifasciatus** Scolia, D. Cyrillo, Ent. Neap. (typogr. ed.) 1787, 2.