



A HISTORY
OF
THE VEGETABLE KINGDOM;

Embracing the Physiology, Classification,
AND
CULTURE OF PLANTS,

WITH THEIR VARIOUS USES TO MAN AND THE LOWER ANIMALS,
AND THEIR APPLICATION IN THE
ARTS, MANUFACTURES, AND DOMESTIC ECONOMY.

BY WILLIAM RHIND,
MEMBER OF THE ROYAL COLLEGE OF SURGEONS; OF THE ROYAL MEDICAL SOCIETY, EDIN;
AUTHOR OF "ELEMENTS OF GEOLOGY," "A CATECHISM OF BOTANY," &C.

ILLUSTRATED BY SEVERAL HUNDRED FIGURES.

BLACKIE & SON, QUEEN STREET, GLASGOW;
SOUTH COLLEGE STREET, EDINBURGH;
AND WARWICK SQUARE, LONDON.



LIST OF PLATES.

PLATE I.

EXHIBITS SECTIONS OF VARIOUS WOODS, HIGHLY
MAGNIFIED.

FIG.	PAGE
1. Monocotyledonous stem, a portion of the transverse section of the sugar cane, .	24
2. Transverse section of a coniferous stem; the Scotch pine. <i>a</i> , pith or medulla; <i>b b</i> , medullary rays, proceeding from the pith or centre, to the circumference; <i>c c</i> , the annular layers, or circles, .	25
3. Section of Dicotyledonous stem; the oak. <i>a</i> , medulla; <i>b b</i> , medullary rays; <i>c c</i> , annular circles; <i>d</i> , alburnum; <i>e</i> , liber; <i>f</i> , epidermis, or outer bark, .	ib.
4. Highly magnified view of hexagonal meshes of the pine, .	ib.
5. Perpendicular sections of the pine, with the areolæ, .	ib.
6. Section parallel to the medullary rays, .	ib.
7. Transverse section of sugar cane, highly-magnified, .	ib.
8. Transverse section of the mahogany tree, .	ib.
9. Do. of the oak, .	ib.
10. Do. of red sanders-wood, .	ib.

PLATE II.

GEOGRAPHICAL DISTRIBUTION OF PLANTS, WITH REGARD
TO ALTITUDE.

*The mountain on the left represents one of the Andes
in South America.*

FIG.	PAGE
1. Tropical zone, or region of palms, .	170
2. Temperate zone; cerealia, and timber trees, .	ib.
3. Alpine zone; alpine plants, and hardy trees, .	ib.
4. Arctic zone; lichens and mosses, .	ib.
5. Snowy region; no vegetation, .	ib.

*The mountain on the right represents the British
zones of climate.*

FIG.	PAGE
1. Woody region; grain, grasses, and fruit trees, .	171
2. Barren region; heaths, and hardy trees, and shrubs, .	ib.
3. Mossy region; lichens, mosses, and snow line, .	ib.

PLATE III.

FUNGI OR MUSHROOM PLANTS.

FIG.	PAGE
1. Fly amanita.— <i>A. muscaria</i> , .	196
2. Common mushroom.— <i>Ag. campestris</i> , .	194
3. Round-headed morel.— <i>Morchella esculenta</i> , .	193
4. Small-headed morel.— <i>M. hybrida</i> , .	196
5. Tall cylindrical agaric.— <i>A. comatus</i> , .	ib.
6. Variable wood agaric.— <i>A. gilvus</i> , .	ib.
7. Shaggy agaric.— <i>A. floccosus</i> , .	ib.
8. Spangled watery agaric.— <i>Agaricus mica-ceus</i> , .	ib.
9. Warty false puff ball.— <i>Scleroderma verrucosum</i> , .	ib.
10. Large bladder-like peziza.— <i>P. vesiculosa</i> , .	ib.
11. Alpine amanita.— <i>A. nivalis</i> , .	ib.
12. Red stemmed boletus.— <i>B. luridus</i> , .	ib.
13. Scaly hydrium.— <i>H. imbricatum</i> , .	ib.
14. Hairy earth tongue.— <i>Geoflossum hirsutum</i> , .	ib.
15. Hispid polyporus.— <i>P. hispidus</i> , .	ib.
16. Sulphur coloured polyporus.—(<i>P. sulphureus</i> ,) .	ib.
17. Carmine peziza.— <i>P. coccinea</i> , .	ib.
18. Scaly hydrium.— <i>Hydrium imbricatum</i> , .	ib.
19. Pale crested agaric.— <i>A. cristatus</i> , .	ib.
20. Mitral helvella.— <i>H. mitra</i> , .	ib.
21. Tuberos agaric.— <i>A. tuberosus</i> , .	ib.
22. False puff ball.—(<i>Scleroderma cepa</i> ,) .	ib.
23. Large stemmed peziza.— <i>Pez. macropus</i> , .	ib.
24. Green and yellow agaric.— <i>Ag. psittacinus</i> , .	ib.
25. Crisped helvella.— <i>H. leucophæa</i> , .	ib.
26. Reticulated peziza.— <i>P. reticulata</i> , .	ib.
27. Yellow spathularia.— <i>S. flavida</i> , .	ib.

PLATE IV.

PALMS.

FIG.	PAGE
1. Plantain, .	260
2. Cabbage palm, .	262
3. Cocoa nut palm, .	240
4. Fan palm, .	ib.
5. Oily palm, .	263
6. Talipot palm, .	259
7. Date palm, .	253



W. Warwick

GEOGRAPHICAL DISTRIBUTION OF PLANTS

Blacrie & Son, Glasgow.

J. Stewart