

A 1756  
GENERAL VIEW

OF THE

W R I T I N G S

OF

L I N N Æ U S.

By RICHARD PULTENEY, M.D. & F.R.S. 1730-1801

L O N D O N:

PRINTED FOR T. PAYNE, AT THE MEWS-GATE;  
AND B. WHITE, FLEET-STREET.

M.DCC.LXXXI.

10.425

12

29. CERVUS. *Deer*. Horns solid, branched, deciduous; no canine teeth.

*Camelopard, Elk, Stag, Rein Deer, Buck, Roebuck, Guinea.*

30. CAPRA. *Goat*. Horns hollow, erect; no canine teeth.

*Tame Goat, Wild Goat, Chamois, Rock Goat, Gazell, Egyptian Antelope of Mr. Pennant, Common Antelope, Bezoar, Dorcas, Ammon, &c. 12 species.*

31. OVIS. *Sheep*. Horns hollow, bending backwards; no canine teeth.

*Ram and its varieties; Guinea, Cretan; these two are also varieties, according to Mr. Pennant.*

32. BOS. *Ox*. Horns hollow, extending outwards; no canine teeth.

*Bull; Bonafus, the same in a wild state, according to Mr. Pennant; Bison, Grunting, Buffalo, Dwarf or Indian.*

## VI. B E L L U Æ.

33. EQUUS. *Horse*. Fore-teeth 6 above, and 6 below.

*Horse, Ass, Zebra.*

34. HIPPOPOTAMUS. *Hippopotame*. Fore-teeth above 6, below 4.

*River Horse. Mr. Pennant describes this animal as having*

F 3

4 cutting

4 cutting teeth only above and below.

35. *Sus. Hog.* Fore-teeth above 4, below 6.  
*Common; Guinea, considered as a variety; Pecary; Capybara, Thick-nosed Tapiir of Pennant; Babyroussa.*

36. RHINOCEROS. Fore-teeth 2 above, and 2 below.

*One-horned.* Variety with two horns. See Dr. *Parsons* on this subject, *Phil. Trans.* vol. xlii. p. 523, and vol. lvi. p. 32. *Linnaeus* thinks this may be removed into the order of *Bruta*.

## VII. C E T E.

37. MONODON. *Narwal.* Two long strait teeth in the upper jaw, perforating the lip.

*Sea Unicorn.*

38. BALÆNA. *Whale.* Horny laminæ in the upper jaw.

*Whalebone Whale, Fin-fish, Hump-backed or Pike-headed, Round-lipped.*

39. PHYSETER. *Cachalot.* Teeth in the lower jaw only.

*Round-headed, Spermaceti, Crooked-toothed, Plane-toothed.*

40. DELPHINUS. *Dolphin.* Teeth in both jaws.  
*Porpoise, Dolphin, Grampus.*

This