

REF NEWS

RHINO & ELEPHANT FOUNDATION • NEWSLETTER No. 8 • OCTOBER 1992
P.O. BOX 381, BEDFORDVIEW 2008 • TEL (011) 882-0606/7 • FAX 882-0666

Fundraising No. 01100625,0001



FROM THE REF DESK...

We have kept our promise and are happy to send you, this the third and last issue of REF News for 1992. The REF journal is in production and will be with you shortly. Enclosed please find two inserts—the REF regalia order form (think of Christmas!) and an exciting offer of limited edition sets of the 'Magnificent Seven' in verditte.

With economic problems facing most South Africans, contributions are on the decline to organisations such as REF. However, we are delighted to say that there are still a great number of people supporting the Foundation and we are very grateful for their concern. The elephant and especially the black rhino, deserve all our attention in southern Africa.

In the battle for the rhino, the poachers are winning. Time is



A Rhino awaiting shipment to Australia.

running out. On a recent trip to Zimbabwe I came across the carcass of a 5 year-old black rhino which was one of the first dehorned ones in Matusadona National Park on the southern shore of Lake Kariba. The rhino had been killed within days of its horn being cut off. There are only 15 black rhinos left in Matusadona from a population

estimated at more than 150 two years ago. In spite of Zimbabwe's aggressive conservation measures to dehorn all endangered rhinos, poachers are slaughtering rhino at a rate that could wipe out one of the largest concentrations in Africa in two years. Even if sawing off the rhino's horn saves them eventually from the poachers, it may be too late to save them from extinction—due to their loss of biological viability. In the meantime, numerous rhino are being shipped to breeding centres in Australia and the USA to produce progeny over the next decade in order to return them to Africa later.

Incidences in Natal where rhinos are still plentiful indicate that there is no room for complacency in South Africa as desperate people will be turning down south for the horn of both the black and white rhino which is still fetching incredible prices in the Far East.

Hopefully we are not fighting a losing battle in the future.

JANET RACHLOW—THE RHINO LADY



In October, 1991, the dehorning programme in Zimbabwe left 59 white rhinos roaming hornless in Hwange National Park. Janet Rachlow, a young research scientist from Nevada University,

whose risky job it is to monitor rhinos at night when poachers are active, too, is optimistic dehorned rhino will deter future poachers. White rhino are especially vulnerable to poachers because they tend to occur in groups and are often found in relatively open areas. Her project objective is to evaluate potential biological effects of horn removal on white rhino.

Dehorning has been controversial for three main reasons: while horns are regrowing, the form and rates of regrowth remain unknown so far and impossible yet to determine when horn removal will be needed

again; effects of horn removal on the behaviour and breeding of rhino are unclear; and the young of "hornless" females may be more vulnerable to predation.

A special night vision device, supplied by REF, is invaluable for identification of individual rhinos. A small number of dehorned and "horned" rhinos have been fitted with radio collars which come into use should rhinos be invisible at the chosen location.

Life definitely is not dull for Janet and we haven't heard the last from this "rhino lady", expecting a personal account of her observations and preliminary conclusions from this project in the REF Journal next year.




"If all the beasts were gone, man will surely die from great loneliness of spirit, for whatever happens to the beasts also happens to the man. All things are connected." Chief Seattle of the Nez Perce, 1885.



RHINOS OF THE WORLD

The rhinoceros or rhino, with its almost prehistoric appearance; is one of the world's most magnificent creatures. Unfortunately the five existing species of rhino are also included in the group of animals most threatened with extinction.

Although the different species of rhino look similar and originally descended from a single common ancestor, they represent two evolutionary lines which split tens of millions of years ago. One line led to the one-horned rhino, seen today as the primitive Javan rhino and the more advanced Indian species. The second led to the two-horned type, the Sumatran rhino being a true descendant, but about 10 million years ago, a branch found its way to Africa and eventually separated into the Black and White rhino. Both African rhinos evolved to feed without cutting teeth—present in all three Asian species—while their long, sharp horns became important for defence.



1. Javan rhino


(*Rhinoceros sondaicus*)

This forest-dweller uses its prehensile upper lip to browse in a manner similar to the African Black rhino. Also called the Lesser One-Horned Rhino, it is the older of the one-horned species—fossil

deposits of over a million years old have confirmed that the animal's modern form is identical to its ancestor.

The Javan rhino has a scaly skin, with a mosaic appearance, folds on the neck and folds on the shoulders which are joined in the midline of the back giving the body a segmented look, rather like a scaly anteater. A small horn is found exclusively in males while females have only a small knob.

The decline of the Javan rhino began in the mid-eighteenth century as a result of poaching, bounty-hunting to protect crops and hunting for medicinal purposes. Today the Javan rhino is found in only two localities, one in Java and the other in Vietnam, with a current population of 50 animals.




2. Indian rhino

(*Rhinoceros unicornis*)

Often referred to as the Great Indian or Greater One-Horned Rhino, this rhino is found primarily in northern India with smaller populations in Nepal and Pakistan.

The largest of the Asian species, this rhino is predominantly a grazer but can gather tall grass using its pre-hensile lip, normally tucked out of the way for cropping short grass. The skin is knobby giving the animal a tough, "riveted" appearance, yet still as soft and penetrable as any other hide.

The clearing of land for tea plantations in India, especially in Assam, was responsible for the demise of this species. In the 1970s the continued decline in Nepal were reported to be poaching, fighting between individuals, mothers abandoning calves and calves killed by tigers. Current figures are listed at approximately 1 500.




3. Sumatran rhino

(*Dicerorhinus sumatrensis*)

The smallest of all existing species, the Sumatran rhino has evolved virtually unchanged from a woolly ancestor, shown by its fairly hairy coat (especially in younger animals) and tufts of hair around its ears. As such the Sumatran rhino, also known as the Two-Horned Asian Rhino, is often regarded as the most primitive species of the family existing today. It is well equipped with a pre-hensile upper lip, front teeth and low, crowned molars for browsing on forest vegetation.

Clearing of land for rubber plantations in Malaysia reduced the feeding grounds and breeding territories of the rhino, resulting in its decline, although many animals were also hunted or poached. A total of about 200 animals can be found scattered throughout Malaysia, Burma (Myanmar), Thailand and Indonesia.




4. Black rhino

(*Diceros bicornis*)

The Black rhino, alternatively known as the prehensile-lipped rhinoceros, is a browser and considered to be the more primitive of the two African species.

In the last 20 years the Black rhino population has crashed largely due to poachers who, unchallenged by governmental inefficiency and economic and political discord, continue with their illicit activities in order to meet the demand for rhino horn in Asia and the Middle East.

There are four known subspecies of Black rhino, namely, *Diceros bicornis*, *D.b. minor*, *D.b. michaeli*, and *D.b. chobiensis*. With a total population of less than 3 500 animals, Black rhino are still found in Kenya, Namibia, Zimbabwe and South Africa as well as a few other East and Central African states.



5. White rhino

(*Ceratotherium simum*)

The African White rhino is thought to have separated from the Black rhino four to five million years ago to evolve into a more advanced grazing species. No more white than the Black rhino is black, its name is derived from the corruption of "weit", the Afrikaans word for wide, which refers to the broadly shaped mouth. It is also commonly called the square-lipped rhino.

At the turn of the 20th century, when there were thought to be less than 100 White rhino left in South Africa, the Natal parks authorities intervened. The population increased so successfully under protection that, in the 1960s, "Operation Rhino" successfully relocated White rhinos to other parts of Africa as well as zoos in order to establish alternative breeding herds.

The northern and southern subspecies of White rhino (*Ceratotherium simum cottoni* and *C.s.simum* respectively) appear to differ only in their geographical areas, rather than appearance and way of life. Of the current total White rhino population numbering 4 500–5 000, approximately 4 700 are found in South Africa, with isolated populations in Zimbabwe and Garamba National Park, Zaire.

RHINO ORPHAN MAKES HISTORY



Photo: Clive Walker

Makoko is one of the group of five Black rhino recently purchased by Dale Parker at the Natal Parks Board game auction. Realising she was in an advanced stage of pregnancy, Makoko was therefore the first rhino to be released from the holding pen into Lapalala Wilderness to give her ample time to adapt to her new surroundings. But on 11 July 1992, just over a week later, she gave birth to a 21 kilogram bull calf.

Returning from a morning game drive, a manager and his group of guests came across the tiny rhino on a steep dirt road, apparently alone and abandoned. When no trace was found of his mother, the starving and dehydrated baby rhino was immediately taken back to camp for safekeeping.

Everyone sprang into action to save the little rhino, aptly christened Bwana Tshiwana—"Mr Orphan". Karen and Roy Trendler from the Animal Rehabilitation Centre (ARC), together with a vet and an emergency supply of colostrum, met little Bwana and his entourage from Lapalala at Nylstroom. *Colostrum, a substance found only in mother's milk, is vital in the first few hours of life to enable new born babies to build some internal resistance to disease and infection.*

By 6.00 pm that evening the small rhino had safely arrived at the Onderstepoort Veterinary facility.

Little Bwana was believed to be at least a month premature and, as with many premature births, there was no lack of complications—the umbilical cord

had not been properly severed and an infection developed, nearly leading to his death in the few weeks which followed. The rhino calf also contracted a bacterial infection which severely affects joints and had to be treated with strong drugs to ease pain and stiffness.

Based on information supplied from Kenya by both Anna Merz of the Ngare Sergoi rhino sanctuary and Daphne Sheldrick of the Nairobi Animal Orphanage, as well as scientific papers on the composition of rhino mothers milk, the correct formula was finally mixed. After five weeks little Bwana weighed in at a healthy 37 kg—almost double his birthweight!—and was showing signs of improving by the day under the care of Karen Trendler.

ARC will be looking after the new arrival for many months to come, at least until he is about 18 months old. As for the little rhino he knows no other parents except for the humans who care for him. But the day will come when Bwana is strong enough to return to Lapalala Wilderness.

Bwana has made history as the first Black rhino to be raised in captivity in South Africa. All the records and notes kept by Karen since her involvement, and daily monitoring of the calf's progress will prove to be invaluable in the future rearing of rhino calves orphaned in the wild.

On behalf of little Bwana we wish to thank ARC and the veterinarians concerned for all their time and effort dedicated to saving this little Black rhino and for giving him a fighting chance against the odds.

STOP PRESS:

The Rhino & Elephant Foundation has been robbed — our computer equipment, typewriters, photocopier and fax machine were stolen during the night of 15 September 1992. Once we are back on line, all membership records have to be re-installed — fortunately "backups" do exist. Please forgive us for any possible inconveniences. We will try to be up-to-date in due course.

JABU & THEMBI

Jabu and Thembi are no ordinary six-year olds. Orphans of the Kruger National Park's elephant management programme, they were first taken to Game Valley near Albert Falls Dam in Natal three years ago where they were "adopted" by Doug Grove.

Realising his new charges could play an active role in elephant education, Doug, who has 20 years experience with elephants in the United States, started working with the two young elephants. Last year he was joined by his fiancée and assistant, Sandy Austin, who took over the training of Thembi the young female.

Within no time the young elephants were educating and entertaining hundreds of visitors to the game reserve. But don't get it wrong — this is no circus act by any means. The movements performed during sequences, such as ear-flapping, trumpeting and scraping the ground, come quite naturally to the youngsters and cannot be compared with the glitzy world of circus show biz.

A few years ago Jabu appeared in the popular, award-winning television commercial of a major computer company and rocketed to fame as the "little brother". In March this year the foursome moved to the Transvaal — both Jabu and Thembi recently made their Hollywood debut by appearing in a new television series, "Okavango", filmed on set




Jabu, Thembi
Doug Grove and
Sandy Austin —
the foursome.

at Glen Afric Game Farm near Broederstroom.

Looking after the two youngsters is a full-time job yet Doug and Sandy have no complaints. They are a package-deal. Moving around together is not easy because few places can accommodate this unusual family of four. Instead of the group going out to work, work must come to them. With the television series now over, the team is looking for more

action in advertising, promotions or films!

Doug and Sandy have no illusions about the future of the elephants, knowing the time will come when Jabu, the male, matures and becomes more than just a boisterous handful. The couple dream of owning a property large enough for the elephants to roam where they belong, free in the African bushveld.



"No wonder we are an endangered species. How would they have survived if their amorous activities were always being monitored?"

Reproduced by kind permission of Great Outdoors

SPONSORSHIP

Our sincerest thanks to:
COROBRIK WESTERN CAPE for substantial support during the past 12 months.

TIME SHOPPE SALES for continued sponsorship of elephant projects conducted by Marion Garai and Ian Whyte.

DONATIONS IN MEMORIAM

On behalf of the Trustees of the Rhino & Elephant Foundation we wish to extend our sincerest thanks to the staff of Consolidated Wire Industries Ltd for their donation in memory of the late Graham Wittshire of Natal Parks Board.

NEW CORPORATE SPONSORS

The Foundation is delighted to welcome MABULA GAME RESERVE (PTY) LTD as a new corporate member.

The publication of REF News, No. 8 is sponsored by:

Recycled 80 gsm
White Bond
kindly donated
by SAPPI



Bushcraft Trading cc

DOWNIE GROUP OF COMPANIES

We are extremely grateful for their contribution to this issue.