SUMATRAN RHINO CONSERVATION CENTRE DEPARTMENT OF WILDLIFE AND NATIONAL PARKS SUNGAI DUSUN, SELANGOR MALAYSIA

MONTHLY REPORT

NOVEMBER 2001

BY

Dr. AIDI MOHAMAD

&

STEVE ROMO

INTRODUCTION

During the month of November, three separate breeding took place between Ara and three females; Seputeh. Rima and Mas Merah. Ara bred Seputeh on 8/11/01, Rima on 13/11/01 and Mas Merah on 24/11/01. The females were bred for about 55, 20 and 20 minutes respectively. It was a second successful breeding and this time the duration was longer. There was no breeding recorded on the other females especially Panjang and Minah which still had a low level of progesterone.

The bleeding procedure was carried out as usual, twice weekly. As for the bred females, blood will be collected once a week.

RHINO MANAGEMENT

A) Daily Management

i) Night stall

Daily work

Adam, Shariff and Umor managed the night stalls. Shariff and Umor will clean the night stalls while Adam and other rangers will mix Shah and the two females. Then, he will checked the food supply when it arrived around 9.30 a.m. The browse and fruits were weighed and cleaned before giving to the rhinos. About 40 to 50 kg of browses and 7kg of fruits including papaya, banana and sweet potatoes were given daily. The rhinos were also given horse pellet about 1.5kg every morning. On Monday and Thursday, Adam will help the veterinarian to collect the blood from all females.

The rhinos

The rhinos were let out first before cleaning the night stalls. After cleaning, the browses were put in the feed trough and the rhinos were let in for their morning meal. The drinking water was changed daily and stress vet (multi-mineral powder) was mixed inside it. Daily observation was made and recorded in the workbook for each rhino. The rhinos were fed twice daily: 9.00 a.m. and 3.00 p.m.

ii) Ten acres enclosure

Daily Work

Mohd Noor inspects the electric fencing every morning. The fencing was cleaned from any foreign objects such as spider web, dried leaves or creepers to avoid short circuit. Voltmeter was used to ensure that the voltage of the fencing is about 7.0 kV. They will also inspect the fencing for any damages.

During the inspection, the ranger will looked for the rhino inside the enclosure and called the rhino for their morning meal. The rhino was confined in the quarter acre first before putting their browse in the feeding trough. The amount given was about 100kg for each rhino per day.

B) Breeding Program

i) Breeding Introduction

Seputeh was expected to come into estrus on 08/11/01 and blood sample was sent to UPM for confirmation. However, the female was scanned on the expected breeding day and an ovulatory follicle was observed sizing about 21mm. Later in the afternoon, the female was paired with Ara and the male started to trail the female about five minutes after mixing. Six mountings were recorded and the last one resulted intromission, which lasted for about 55 minutes. The next morning, the rhinos could not be paired due to the heavy rain and for safety purpose.

As for Rima, she was scanned on the 12/11/01 and a follicle sized about 18-19mm was observed. The next morning (13/11/01), she was scanned again tand the follicle size had increased to between 21-22mm in diameter. In the afternoon, she was mixed with Ara and was bred. Two intromission was recorded which lasted for about 20 minutes respectively. The next morning (14/11/01), the female was mixed with the other male, Shah but no positive responses were observed between the two rhinos. The rhinos were separated after 40 minutes. Later, Rima was scanned and the follicle sized had increased to 23mm. Then, she was mixed Ara but no breeding was recorded. On 15/11/01, Rima was scanned again and it was noted that ovulation had occurred.

Mas Merah was scanned on 23/11/01 and a follicle size about 12 mm was observed at the left ovary. Another follicle sizing about 10mm was also noted at the right ovary. Based on her last progesterone result, she had a basal level on 30/10/01. Since her P4 profile is erratic, it was decided to mix her with Ara on 24/11/01. Mounting was observed in the morning but no searching was observed although erection was noted. The rhinos were separated and later were mixed again in the afternoon and the female was bred for about 20 minutes.

ii) Bleeding Program

a) Blood Collection

The bleeding was still carried out twice weekly. As for the bred females, the blood was collected once a week. The blood procedure was summarized in Table 1.

b) Progesterone Hormone Profile

The latest blood result was attached below.

iii) Ultrasound

During this month, ultrasound procedure was conducted on all females except Panjang and the result was summarized in Table 2

B) HEALTH STATUS

Generally, all rhinos are in the good condition. Minah still recovering from the weight loss and she was monitored closely. Mas Merah suffered two big wounds as a result from mixing her with the male, Ara. The first wound was located at the left fore limb and the second one was at the right fore limb folds. The wound was treated daily with hydrogen peroxide, iodine and gusanex spray.

C) FEEDING

No changes were made for the feeding program. A contractor will supplied th browses, which deliver them around 9.00 a.m. daily. The feed was checked to ensure their quantity and quality upon receiving them. They were cleaned and weighed before giving to the rhinos. The rhinos were given about 40 kg of browses, 3 kg of concentrates and 7 kg of fruits daily.

Table 1: Blood Collection from the Rhinos, November 2001

Date	Rhino ID	Area taken	Remarks
01/11/01	Minah	Tail	Samples were taken from these females
	Mas Merah	Tail	for P4 analysis. Blood was taken from
	Panjang	Tail	the males for testosterone analysis.
	Ara	Tail	
	Shah	Tail	
05/11/01	Seputeh	Tail	Get blood samples from all females.
	Rima	Tail	The rhinos seem very cooperative.
	Panjang	Tail	Blood was taken from the males for
	Mas Merah	Tail	testosterone analysis
	Ara	Tail	
	Shah	Tail	
08/11/01	Rima	Tail	Blood was taken for the P4 and
	Seputeh	Tail	testosterone analysis
	Minah	Tail	
	Mas Merah	Tail	
1	Panjang	Tail	
	Ara	Tail	
	Shah	Tail	
12/11/01	Minah	Tail	Samples were taken from all rhinos for
	Rima	Tail	P4 and testosterone analysis.
	Seputeh	Tail	
	Panjang	Tail	
	Mas Merah	Tail	
	Ara	Tail	
	Shah	Tail	
15/11/01	Rima	Tail	Get samples via tail from all females
	Mas Merah	Tail	except Seputeh.
	Panjang	Tail	
	Minah	Tail	
	Ara	Tail	
	Shah	Tail	
20/11/01	Minah	Tail	Blood was taken for the P4 and
	Mas Merah	Tail	testosterone analysis
	Panjang	Tail	
	Rima	Tail	
	Seputeh	Tail	
	Ara	Tail	
	Shah	Tail	

Date	Rhino ID	Area taken	Remarks
22/11/01	Minah	Tail	Samples were taken from these females
	Seputeh	Tail	for P4 analysis. Blood was taken from
	Panjang	Tail	the males for testosterone analysis.
	Ara	Tail	
	Shah	Tail	
23/11/01	Mas Merah	Tail	
26/11/01	Minah	Tail	Get blood samples from all females.
Ì	Seputeh	Tail	The rhinos seem very cooperative.
	Rima	Tail	Blood was taken from the males for
	Panjang	Tail	testosterone analysis
	Mas Merah	Tail	
	Ara	Tail	
	Shah	Tail	
29/11/01	Seputeh	Tail	Blood was taken for the P4 and
	Minah	Tail	testosterone analysis
	Mas Merah	Tail	
	Panjang	Tail	
	Ara	Tail	
	Shah	Tail	
30/10/01	Rima	Tail	

Table 2: Ultrasound Procedure on the females, November 2001

Date	Female (s)	Observation
05/11/01	Mas Merah	The cervix, uterine body, the right and left horn looked normal. There were small follicles observed at the right ovary but a follicle sized about 12mm was located at the left ovary.
08/11/01	Mas Merah	The cervix, uterine body and right horn looked normal. Multi small follicles were observed at the right ovary and a 15mm ovary was observed at the left ovary.
	Seputeh	A follicle size about 21-22mm was observed.
12/11/01	Mas Merah	The cervix and uterine body looked normal. Small follicles were observed at the right ovary and a 12mm follicle observed at the left ovary.
	Rima	Day 20 post breeding scanning. A follicle sized 18-19mm was observed at the right ovary.

Date	Female (s)	Observation
13/11/01	Rima	The follicle size increased to about 21-22mm and Rima was bred when mix with Ara in the afternoon.
14/11/01	Rima	The follicle size is about 23mm but no breeding was observed when mixing with the males (Shah and Ara)
15/11/01	Rima	Scanning was conducted in the morning and no follicle observed. Ovulation took place.
23/11/01	Minah	The bladder wall looked smaller (decreased) compared to the last image. Small follicles was observed at the right ovary and a 10mm follicle was noted at the left ovary
	Mas Merah	A follicle sized 12 mm in diameter was observed at the right ovary and a 10 mm follicle at the left ovary
26/11/01	Minah	Small multi follicles were observed sizing between 8 to 12mm in both ovary
	Mas Merah	No follicles observed at the right ovary but the left ovary could not be detected. The rhino was not cooperative.
27/11/01	Seputeh	No evidence of an ovulatory follicle observed.
30/11/01	Rima	No evidence of an ovulatory follicle observed.
	Seputeh	No evidence of an ovulatory follicle observed.

The Breeding Dates of Rhinos in Sg. Dusun, 2000/2001.

Date(s)	Rhinos	Remarks
5/10/00	Rima & Ara	Bred for 46 minutes.
14/10/00	Panjang & Ara	Bred for about 35 minutes.
19/10/00	Seputeh & Ara	35 minutes.
29/10/00	Rima & Ara	Rima was bred for about 35 minutes.
8/11/00	Seputeh & Ara	Intromission was observed and lasted about
		23 minutes.
9/11/00	Seputeh & Ara	Seputeh was bred for about 30 minutes.
10/01/01	Rima & Ara	Bred for 20 minutes after assisted
		intromission.
26/01/01	Seputeh & Ara	Bred for 30 minutes in the afternoon.
31/01/01	Rima & Ara	Bred for 20 minutes.
01/02/01	Rima & Ara	Bred for 32 minutes.
16/02/01	Seputeh & Ara	Bred for 29 minutes.
17/02/01	Seputeh & Ara	Bred for 35 minutes.
22/02/01	Rima & Ara	Bred for 55 minutes.
15/03/01	Rima & Ara	Bred for 14 & 5 minutes.
16/03/01	Rima & Ara	Bred for 10, 5 & 13 minutes.
08/04/01	Seputeh & Ara	Bred for 32 minutes.
11/04/01	Rima & Ara	Bred for 25 minutes.
03/05/01	Rima & Ara	Bred for 36 minutes.
25/05/01	Rima & Ara	Bred for 25 minutes.
31/05/01	Panjang & Ara	Bred for 26 minutes.
08/06/01	Seputeh & Ara	Bred for 13 & 19 minutes.
16/06/01	Rima & Ara	Bred for 35 minutes.
17/06/01	Rima & Ara	Bred for 30 minutes.
30/06/01	Seputeh & Ara	35 minutes
21/07/01	Seputeh & Ara	30 minutes
22/07/01	Seputch & Ara	23 minutes
23/07/01	Seputeh & Ara	30 minutes
30/07/01	Rima & Ara	35 minutes
13/08/01	Seputeh & Ara	30 minutes
29/08/01	Mas Merah & Ara	2 minutes
03/09/01	Seputeh & Ara	27 minutes
04/09/01	Seputeh & Ara	15 mins. 32 minutes
25/09/01	Seputeh & Ara	43 minutes
26/09/01	Seputeh & Ara	34 minutes
17/10/01	Seputeh & Ara	30 minutes
18/10/01	Seputeh & Ara	30 minutes
23/10/01	Rima & Ara	30 minutes
08/11/01	Seputeh & Ara	55 minutes
13/11/01	Rima & Ara	20 mins, 20 minutes
24/11/01	Mas Merah & Ara	20 minutes

1	-3c	22-Dec-01	1 1	1	256	22-Dec-01	1 '	1	1	357	22-Dec-01	1	1	72F	10-09CJ-52	1 1		25E	10-08G-S2
l		10-09CI-72		}	326	10-09G-12		l		322 322	23-Dec-01	ł		32 2	10-29G-12 21-Dec-01	1 1		355	10-000-12
		10-0ec-01			355	10-06C-01	1 '	i			10-59Œ-01		l		10-09CI-05				10-090-03
1			1		324					364		ĺ .	l	324				324	10-290-61
1		10-0aQ-61		Į	323	t0-o∋G-6f	1		1	323	10-09G-61	ļ		353	10-09/J-61	1 1		323	
]		10-0 0 0-81			325	10-09CI-81	1	l	1	352	10-ceC-61	ł		322	10-ceC-81	1 !		325	10-59G-81
		10-59Q-7t	1		rze	10- 35 Q-7t	1	i		321	10-5 9 0-71		1	135	t0-≎ s 0-√t	1		ŧεε	t0-09Q-71
l	320	r0-oeG-∂r			320	f0- ∞ €3-8t	1	İ	ļ	320	16-26-01	}		320	10-ceG-81	1 1		320	10-3 0 G-91
į.	34B	15-Dec-01	1		6≯€	10-090-61	1		l	6 ⊁ €	10-c s ⊡-č1		1	949	10-09G-61	1 1		34 3	10-peg-61
1	84E	ffl-ped-bf	1		348	10-39G-61	'			348	10-09041		1	348	10-59Q-41	1 1		348	r0-39(J-4
ļ	74E	13-Dec-D1	1 1		745	10-39Q-E1	1			745	10-0 5 0-61		1	347	13-0 - 0-01			34 <u>7</u>	3-Dec-01
1	346	15-Dec-01	1		346	10-3 9 CI-SI				346	10-090-51		1	346	12-Dec-D1	1 1		346	10-080-5
i	342	10-56G-11	1 1	1	342	10-59G-11	1	İ	1	342	10-09G-11	t	1	342	10-ceG-11	1 1		342	10-290-1
		10-0eC-01			344	10-390-01				344	10-290-01		1	344	10-290-01	1 1		344	10-090-0
1		10-59Q-6]		343	r0-39Cl-6	1			343	10-290-6	1	l	343	10-29CJ-6			343	10-000-6
ł		10-39G-8	1	1	342	10-c∋C-8	'		ļ.	345	10-39G-8	l	1	342	10-ceCl-8	1		342	10-59G-61
İ			1 1									l	1		10-29G-5	1 1			10-55Q-5
1		10-56G-7	1		146	10-50-7	1	ĺ		341	7-Dec-01	İ	l	341		1 1		341	10-09-0-5
Ì		10-09Cl-9	1		340	10-oeQ-0	1	İ		340	10-osC-8		1	340	10-3 9 G-9	1 1		340	
		5-Dec-01	1		336	10- ∞9 0-5		i i		339	10-> s G-3		1	336	10-2601-5	1		6 EE	10-090-3
]		4-Dec-01	1 1	1	338	10- 09 2-4	1	ľ		BEE	10-09(3-1)	1	ı	338	10-0 5 G-101	1		86E	10-000-t
Ì		10-08Q-E	1 1		337	10-39Q-£				7EE	10->9Q-E			332	3-Dec-01			331	10-09G-01
ļ	336	CO-≎ec-O₁			336	7-D ec -01	1			336	10-59G-5		1	336	10-0 0 0-2	1	1	33E	10-090-2
j	332	1-Dec-01		İ	332	10-29⊈-1			ł	335	t0-59G-₹	1	ľ	332	10-09G-1	1		332	10-09G-1
1	334	30-NOV-01			334	10-VDM-05				334	30-100-01		l .	334	30-404-01			334	10-vaN-0
		10-404-01		1	333	10-401-62	1			333	10-A0N-52	1	1	333	10-VON-65	1		333	10-vov-6
		28-Nov-01		1	332	10-40/1-82	1	1	1	332	10-4041-80	1	1	ZEE	10-vov-62	1 1		ZEE	10-40N-E
1		10-VON-72	1	1	331	10-404-61	1			331	10-404-75		1	331	10-VON-72	1		331	LO-MON-
LO:0			1	00.1					01.0			1	6170		28-NDV-01	1 /			10-volv-8
₽9.E	-	10-vov-01]]	∂£.1	330	10-vov-01	1	I	01.0	330	10-404-62	1	41.0	330		1 19		330	
1		10-von-62	[]	1	329	10-101-92	1 '		1	329	10-VON-25	1		356	LO-ACN-9Z	1		339	10-4041-0
1		10-vov-42	1		328	10-400-01	'			328	10-von-25	1	ľ	328	10-ven-42	1 1		328	10-vov-1
i		10-von-62		1	327	10-von-es	1			327	23-NOV-01	1	1	327	10-von-es] [0		327	10-vol/-6
346	326	10-von-S2		Í	326	22-1404-01			11.0	326	10-VDM-52	1	01.0	356	22-1100-01] [356	10-4011-5
!	352	10-VOV-15		1	325	21-404-01				352	2:-404-01	1	ł	325	10-VOV-15	1 1		352	10-vov-01
07.2	354	20-404-01		52.0	35¢	10-4041-02	1		110	354	10-401-0Z	l .	80.0	354	20-1/201-01	2	29.0	354	10-vov-01
		to-vov-cr		1	323	10-10N-61	1	1	1	SZS	10~04.91	I]	323	10-4011-61			EZE	10-40N-6
ľ	322	18-NOV-01	1	1	322	10-401:-81		i '	l	322	LO-MON-ST	ł	1	322	10-vov-61	1 1		322	FO-VON-6
		10-404-71	1 1	t	351	10-4011-71	1	1 '	1	351	10-NON-11	1	1	351	10-VON-Tr			IZE	10-von-7
		10-von-81	[]	ſ	350	10-404-91	1	1 '	ĺ	320	10-VON-31		1	350	10-VoN-81	1		350	LO-∆ON-9
		10-40N-S1] [00.0	316	10-MON-SI	1 /	1	50'0	319	TO-VON-ST		\$ L.O	318	10-40N-S1	c		319	10-40N-9
1		10-VON-01] {	المال	318	10-vov->1		1 '	1300	318	10.408.21	1	1,,,	318	10-400-41			318	10-volv-t
1		10-von-61	1 1	ĺ		10-voi/-61	1 /	1	ſ		10-vov-61	1	1		13-400-01	1 1			TO-VON-
07:0				00:0	317	· · · ·	/	i '	00:0	317			07:0	317				317	
02.0		100N-St]]	80.0	316	10-vov-21	1	1	90.0	316	ID-VON-SI	ł	02.0	316	12-1/10/-01			316	FO-VON-S
		10-vaN-11]]	1	SIE	10-405-11		i !	ł	315	10-40/-11	1		SIE	10-404-11	1		315	10-vol/-
		10-vov-01	1 1	1	314	10-vov-01	1 1	i '	1	314	to-voin-or	}		314	10-vol1-01			314	10-401-0
l		10-vaN-6		1	313	10-voN-e	1	i '	ĺ	213	10-vovi-2		ĺ	313	10-val/-e	1 [313	F0-v0H-0
90.0	312	FO-VON-8		18.1	312	10-vol-8		1 /	80.0	312	10-VOV-8	1	71.0	312	FC-V0N-8	ε	0.03	315	FNov-C1
	115	10-von-7	1 1	1	311	10-40N-1		('	1	311	10-40N-1	1	ŀ	311	10-401/1	1 1		311	10-vov-01-
	310	+0-vaи-8	1 1	1	310	t0-val/i-8	1	1 1	1	310	10-vov-8	i	1	310	10-vov-8	1 1	1	310	10-4011-8
41.0		10-VON-2	I	l	60£	10-ACN-S	1 /	1 1	81.0	60E	5-NOV-01	l l		608	10-vov-6	c		30a	10-vov-0
		FG-VON-A	} I	i	808	10-voit-2			1	308	10-MON-A	1	1	308	10-401-1	[80E	10-408-1
		10-vol1-E	(I	i	Δ0E	10-vol1-6	1 1	1 /	1	40€	2-140N-01	1	1	20€	10-MPN-E	1		20E	TO-VON-E
		FC-VOV-S		1	90€	10-MON-2	1 1		ı		10-40N-Z	1			2-NOV-01				
140"1		FB-VOM-F		1		10-vois-r] 1		22.0	908	10-voi/-:	I	CF:C	908	10-voin-r	[].		908	FD-40M-1
74.1		1	1 1		305		1 /		52.0	305		l	£4.0	305				302	
		31-00:01]	1	304	31-04-01	1 1	1 !	l	304	31-04-01	1	1	304	31-04-01	1 1		304	10-200-1
71.E		30-Oct-01			303	30-04-01	1 1			505	10-150-06	l .	1	£0£	10-10O-0E			303	10-150-0
		10-100-62	1	18.0	302	29-Oct-01		i !	21.0	30S	29-04:01	1	16.0	302	29-Oct-01	8		305	10-120-6
		28-Oct-01	l l	i	301	10-150-82	1 1	1 1	1	105	29-04-01	l	1	100	28-04-01	1 1		301	10-50-8
	300	10-35O-12	i i	l	300	10-150-72	1 1		1	300	10-50-12		1	300	21-Oct-01	1 1	(300	7-Dct-01
	588	26-Oct-01		i	562	Se-04-01	1	i !	i	533	5 0-021- 01		1	562	S6-Oα-01		- (568	FD-15O-8
08.1	86Z	25-Oct-01		€0.0	862	52-04-01	1	(1	er.0	862	S2-04-01	I	84.0	862	52-Oct-01	8	39'O (86Z	9-O4-01
'		24-04-01	, i	i	46 Z	\$ 4 04-04		1 1	i	262	10-120-101	İ	l i	462	24-O4-01	1 1		46 Z	10-120-4
		23-004-01		i	962	23-CCI-01]	, !	i	967	10-120-67		1	962	23-Oct-01			962	3-Oct-01
		22-04-01		70.0	962	22-Oct-01		, !	E1.0	36Z	10-120-22]	72.0	962	22-04-01	L		96Z	10-120-5
		31-04-01 51-04-01	ļ		562	21-04-01	1 1	j 1	1	567	51-04-01	ł	المحال	56C	21-04-01			50C	10:00-1
		20-02-01	1 1	í		30-04-01		, 1	i		20-004-01	l	1		20-Oct-01	1 I			10404
				į	263			, 1	i	Z62			l	56Z		1 1		563	
		19-04-01			262	10-1∞0-€1	1 1	, ,		262	10-150-61	ł		262	10-100-61	1 1		262	10-150-6
91.0		18-Oct-01		18.0	16Z	18-04-01	[]		81.0	16Z	10-150-61		02.0	162	18-04-01			162	8-04-01
£1.0		10-50-71		İ	590	10-50-71		, ,	l	590	10-150-71			06Z	10-300-71	1 1		500	10-150-7
11.0		10-15O-81			68Z	10-120-91	1	, ,	SZ.0	289	10-150-81	ı	92.0	682	16-0-1-01	6		585	10-100-9
	288	15-00-01	I !	į	288	15-04-01	[]	, 1	i	882	15-0<1-01	1	ŀ	288	12-04-01	1	1	288	10-100-9
	782	14-04-01	{	ĺ	782	10-120-41	† I		i	782	1400401	ı	Į.	782	10-130-51	1 1		Z8 2	10-120-1
	586	13-04-01	1 1	i	286	13-04-01	1 1		i	286	13-04-01	1	1	286	13-04-01	1	9	286	3-001-01
	285	15-001-01	[l	285	12-04-01	1 1	, 1	i	285	13-04-01	1		285	12-04-01		t	382	2-04-01
90.1		10-250-11		00.Z	284	10-150-11	1 1	į l	21.0	284	10-120-11		EZ.O	284	10-120-11	1 lo	-	284	10-100-1
		10-04-01			283	10-150-01		, !	j - j	283	10-04-01]	"	283	10-120-01	ا ا		283	10-20-01
		9-04-01	! !	ĺ	282	10-150-6			i	282	9-04-01	1		282	9-O4-01	1 1		282	9-04-01
		8-04-01	1 1	81.1	787	8-04-01		, ,	01.0	182	8-00:01	i	02.0	287	8-04-01	1 1		18Z	10-20-01
1	107		1	0 + 1			1 1	, 1	81.0			l	1000			₈			
		10-100-1	[ł	280	10-100-7			Í	280	10-150-1	İ	1	280	10-150-1	1 1		58C	10-20-0
	280	ا ممد -		1	672	6-04-01			i	279	10-100-9	!	1	672	10-120-9	1		526	10-200-0
	08Z	10-300-9	, ,			10-12O-3		, [ı	87S	10-15O-E		1	872	5-04-01	I		372	10-100-6
	872 672 280	f-0-15-O-G	[1		872											1 17	0.1		
es.:t	872 872 280	10-15O-4 10-15O-6		14.0	277	10-100->		' 1	80.0	772	10-150-4	Į.	61.0	<i>11</i> 2	10:50-5	} I ²		77 Z	10-100-4
ec.1	972 872 872 972	10-150-6 10-150-4 10-150-6		14.0		3-04-01			80.0	276 772	3-04-01			972	3-04-01	1 1	ç	3 <u>7</u> 2	3-04-01
ec.1	972 872 872 972	10-15O-4 10-15O-6	1 1	60.0 14.0	277	10-100->			60.0 80.0				72.0 [61.0		3-04-01	1 1	ç	275 275	3-04-01 3-04-01
	272 272 272 272 872 279 280	10-150-6 10-150-4 10-150-6		60 [.] 0	276 772	\$-04:01 \$-04:01 \$-04:01			£0.0	972	3-04-01		7S.0	275 275 276	3-04-01	ε	:b:1 9 t	275 275 375	3-04-01
ec.₁	272 272 272 272 872 279 280	10-120-5 10-120-4 10-120-6 10-120-6		eo.o	275 375 772	\$-04:01 \$-04:01 \$-04:01	E2 (b8)u		€0.0	275 275	3-04-01 3-04-01	(km		275 275 276	3-04-01	ε	:b:1 9 t	275 275	3-04-01 3-04-01









